

CONTINUED FROM PRECEDING PAGE

AIRSPACE: CLASS D svc 1300-0400Z; other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE IWA.

WILLIE (L) VORTACW 113.3 IWA Chan 80 N33°18.19' W111°39.09' 243° 8.3 NM to fld. 1367/13E. HIWAS.

VOR unusable:

300°-320° byd 25 NM blo 7,500'

320°-300° byd 20 NM blo 7,500'

TACAN AZIMUTH unusable:

020°-055° byd 30 NM blo 12,000'

150°-195° byd 20 NM blo 7,500'

DME unusable:

020°-055° byd 30 NM blo 12,000'

150°-195° byd 20 NM blo 7,500'

NDB (MHW) 407 CHD N33°15.99' W111°48.47' at fld. 1238/12E. NOTAM FILE CHD.

NDB unusable:

020°-070° byd 15 NM

HELIPAD H1: H100X100 (CONC)

HELIPORT REMARKS: PVASI to H1 is aligned at 229°.

STELLAR AIRPARK (P19) 3 W UTC-7 N33°17.93' W111°54.95'

PHOENIX
L-5B, A
IAP

1181 B TPA—2004(823) NOTAM FILE PRC

RWY 17-35: H4416X80 (ASPH) MIRL

RWY 17: REIL. PAPI(P2L)—GA 3.25° TCH 37'. Thld dspldc 366'.

Road.

RWY 35: REIL. PAPI(P2R)—GA 3.25° TCH 42'. Tree.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 17: LDA-4050

RWY 35: LDA-4067

SERVICE: S2 FUEL 100LL LGT ACTIVATE MIRL Rwy 17-35—CTAF.

AIRPORT REMARKS: Unattended. For fuel and tiedown information ctc FBO

at (480) 961-9050. Birds on or invof arpt. Be alert to numerous

no-radio aircraft invof arpt. PPR rqrd for acft certificated for 15,000

gross takeoff weight not based at arpt. Training arpt touch and go

landing proh. Helicopter training proh. Commercial and student

training ops by permit only. Practice instrument approaches in VFR

conditions not authorized. Calm wind Rwy 17. All runups on east side

runup areas. Avoid over flight of noise sensitive areas west of Rwy

17-35 and north of arpt. Flood irrigation between rwy and twy with

standing water up to 1' depth on irregular schedule. Ldg fee charged

for all commercial ops.

AIRPORT MANAGER: 480-295-2683

COMMUNICATIONS: CTAF/UNICOM 122.975

Ⓡ PHOENIX APP/DEP CON 123.7

CLEARANCE DELIVERY PHONE: For CD ctc Phoenix Apch at 602-306-2565.

RADIO AIDS TO NAVIGATION: NOTAM FILE PRC.

PHOENIX (H) VORTACW 115.6 PXR Chan 103 N33°25.98' W111°58.21' 149° 8.5 NM to fld. 1184/12E.

VOR unusable:

345°-360° byd 33 NM blo 10,000'

TACAN AZIMUTH & DME unusable:

345°-360° byd 33 NM blo 11,000'

VORTAC unusable:

015°-034° byd 33 NM blo 10,000'

090°-100° byd 15 NM blo 8,000'

185°-190° byd 30 NM blo 8,000'

185°-190° byd 38 NM blo 9,000'

190°-230° byd 20 NM blo 10,000'

345°-034° byd 10 NM blo 6,000'

345°-034° byd 20 NM blo 8,000'

360°-015° byd 33 NM blo 11,000'

DME unusable:

215°-315°

